
PANELTECH®
MODERN BUILDING

PRICE LIST 2026

MODULAR COLD ROOMS



FERMOD
High quality equipment and automatic

PaNELTECH Sp. z o.o.
41-508 Chorzów
ul. Michałkowicka 24
tel. 32 245 91 41
fax 32 245 91 39
drzwi@paneltech.pl

version 2026.2

www.paneltech.eu

PANELTECH®
NOWOCZESNE BUDOWNICTWO

MODULAR COLD ROOMS SYSTEM

Modular cold rooms system PaNELTECH is based on steel sheets with polyurethane core, which are joined with each other by special camlock system. This solution enables an easy and fast assembly and disassembly of the cold room, as well as its further relocation or expansion by adding additional modules. Thanks to its simplicity the assembly is cheap and time-sparing. It can be done with just 2 persons. Our cold rooms distinguish themselves with high quality, excellent heat insulation value and esthetic qualities. The cold rooms are equipped with hinged or sliding doors with FERMOD accessories. PaNELTECH cold rooms meet European hygienic and technical standards.

Panel technical data:
- **Facing:** steel sheet, thickness 0,75mm, coated with polyester paint in standard white colour RAL 9010 or acid-proof stainless steel type 1.4301, thickness 0,8 mm;
- **Core material:** polyurethane foam, density of 40 kg/m^3;
- **Jointing system:** Camlock joints, ensuring exact and tight connection between all the edges;
- **Thickness of cold room walls:** 80mm;
- **Thickness of freezer room walls:** 100mm.

Panel dimensions:
- **wall panel for cold rooms:** width - 1150mm, maximal length - 3500mm, thickness - 80mm;
- **corner panel for cold rooms:** width - 1050mm, maximal length - 3500mm, thickness - 80mm;
- **roof/floor panel for cold rooms:** width - 1050/1150mm, maximal length - 3500mm, thickness - 80mm;
- **wall panel for freezer rooms:** width - 1150mm, maximal length - 3500mm, thickness - 100mm;
- **corner panel for freezer rooms:** width - 1050mm, maximal length - 3500mm, thickness - 100mm;
- **roof/floor panel for freezer rooms:** width - 1050/1150mm, maximal length - 3500mm, thickness -100mm.

Standard external dimensions of the cold room and freezer rooms:
- 1310x2100x2200/2300* (h) mm;
- 1310x3250x2200/2300* (h) mm;
- 1310x4400x2200/2300* (h) mm;
- 2460x2100x2200/2300* (h) mm;
- 2460x3250x2200/2300* (h) mm;
- 2460x4400x2200/2300* (h) mm;
- 3500x5550x2200/2300* (h) mm;
- 3500x5550x2500 (h) mm;
- custom dimensions on request.

* cold room with a floor

Applications:
- Hotels, restaurants, fast-foods;
- Food processing facilities;
- Milk and milk products producers and distributors;
- Sea food processing facilities and storehouses;
- Fruits and vegetables processing facilities and storehouses;
- Bakeries;
- Supermarkets;
- Others.

PRICELIST OF STANDARD MODULAR COLD ROOMS SYSTEMS with hinged doors type DRK-L/N 60, 800x2000mm:

MODULAR COLDROOM WITHOUT FLOOR Facing – RAL 9010 white steel sheet						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2200	80	2182 €	730 €	2913 €
1310	3250	2200	80	2989 €	730 €	3720 €
1310	4400	2200	80	3796 €	730 €	4527 €
2460	2100	2200	80	3101 €	730 €	3831 €
2460	3250	2200	80	4070 €	730 €	4801 €
2460	4400	2200	80	5040 €	730 €	5770 €
3500	5550	2200	80	7282 €	730 €	8012 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	80	2434 €	730 €	3164 €
1310	3250	2500	80	3325 €	730 €	4056 €
1310	4400	2500	80	4218 €	730 €	4948 €
2460	2100	2500	80	3437 €	730 €	4167 €
2460	3250	2500	80	4492 €	730 €	5222 €
2460	4400	2500	80	5546 €	730 €	6276 €
3500	5550	2500	80	7949 €	730 €	8680 €

MODULAR COLDROOM WITHOUT FLOOR

Facing of the cold room: steel sheet, thickness 0,75mm, coated with polyester paint in standard white colour (RAL 9010);
Thickness of cold room walls: 80mm, produced on the press, by high pressure injection of PUR foam into door framework;
Joints: quick-installation Camlock system.

DRK-L-60 - Premium hinged painted doors for cold rooms.
Door leaf: thickness of 60mm made of folded steel sheet;
Door finish: steel sheet, thickness of 0,75mm, galvanized on both sides, coated with polyester paint in standard white colour RAL 9010;
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Lower element: channel section made of acid-proof stainless steel sheet type 1.4301;
Frame: complex and profiled, made of steel sheet, thickness of 1,5mm, galvanized on both sides, coated with polyester paint in standard white colour RAL 9010.

OPTIONAL:
- Cold room with custom dimensions;
- Cold room in custom colours (other than RAL 9010);
- Cold room with window;
- Hinged or sliding doors for cold rooms with custom dimensions.

MODULAR COLDROOM WITH FLOOR Facing – RAL 9010 white steel sheet						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2300	80	2606 €	730 €	3336 €
1310	3250	2300	80	3628 €	730 €	4358 €
1310	4400	2300	80	4649 €	730 €	5380 €
2460	2100	2300	80	3852 €	730 €	4582 €
2460	3250	2300	80	5199 €	730 €	5930 €
2460	4400	2300	80	6547 €	730 €	7277 €
3500	5550	2300	80	9905 €	730 €	10636 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	80	2774 €	730 €	3504 €
1310	3250	2500	80	3852 €	730 €	4582 €
1310	4400	2500	80	4930 €	730 €	5660 €
2460	2100	2500	80	4076 €	730 €	4806 €
2460	3250	2500	80	5480 €	730 €	6210 €
2460	4400	2500	80	6884 €	730 €	7614 €
3500	5550	2500	80	10350 €	730 €	11081 €

MODULAR COLD ROOM WITH FLOOR

Facing of the cold room: steel sheet, thickness 0,75mm, coated with polyester paint in standard white colour (RAL 9010);
Thickness of cold room walls: 80mm, produced on the press, by high pressure injection of PUR foam into door framework;
Walls Joints: quick-installation Camlock system.

DRK-L-60 – Premium hinged painted doors for cold rooms.
Door leaf: thickness of 60mm made of folded steel sheet;
Door finish: steel sheet thickness of 0,75mm, galvanized on both sides, coated with polyester paint in standard white colour RAL 9010;
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Lower element: channel section made of acid-proof stainless steel sheet type 1.4301;
Frame: complex and profiled – made of steel sheet, thickness of 1,5mm, galvanized on both sides, coated with polyester paint, standard white colour RAL 9010.

OPTIONAL:
- Cold room with custom dimensions;
- Cold room in custom colours (other than RAL 9010);
- Cold room with window;
- Hinged or sliding doors for cold rooms with custom dimensions;
- Cold room floor made of riffled acid-proof stainless steel sheet, thickness of 3mm;
- Cold room floor made of riffled aluminum sheet, thickness of 3mm.

MODULAR COLD ROOM WITHOUT FLOOR Facing – acid-proof stainless steel sheet type 1.4301, with mat surface 2B						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2200	80	2801 €	972 €	3773 €
1310	3250	2200	80	3837 €	972 €	4809 €
1310	4400	2200	80	4873 €	972 €	5845 €
2460	2100	2200	80	3980 €	972 €	4952 €
2460	3250	2200	80	5225 €	972 €	6197 €
2460	4400	2200	80	6470 €	972 €	7442 €
3500	5550	2200	80	9347 €	972 €	10319 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	80	3124 €	972 €	4096 €
1310	3250	2500	80	4269 €	972 €	5241 €
1310	4400	2500	80	5414 €	972 €	6386 €
2460	2100	2500	80	4412 €	972 €	5384 €
2460	3250	2500	80	5766 €	972 €	6738 €
2460	4400	2500	80	7119 €	972 €	8091 €
3500	5550	2500	80	10204 €	972 €	11176 €

MODULAR COLD ROOM WITHOUT FLOOR

Facing of the cold room: acid-proof stainless steel sheet type 1.4301, thickness of 0,8mm, standard surface 2B;
Thickness of cold room walls: 80mm, produced on the press, by high pressure injection of PUR foam into door framework;
Joints: quick-installation Camlock system.

DRK-N-60 – Premium hinged stainless doors for cold rooms.
Door leaf: thickness of 60mm made of folded steel sheet;
Door finish: acid-proof stainless steel sheet thickness of 0,8mm, with mat surface 2B or polished 4N (OPTIONAL);
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Lower element: channel section made of acid-proof stainless steel sheet type 1.4301;
Frame: complex and profiled – made of acid-proof stainless steel sheet, type 1.4301 with mat surface 2B or polished 4N (OPTIONAL).

OPTIONAL:
- Cold room with custom dimensions;
- Cold room made of acid-proof stainless polished or grained steel sheets;
- Cold room with window;
- Hinged or sliding doors for cold rooms with custom dimensions.

MODULAR COLD ROOM WITH FLOOR Facing – acid-proof stainless steel sheet type 1.4301, with mat surface 2B						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2300	80	3345 €	972 €	4317 €
1310	3250	2300	80	4656 €	972 €	5628 €
1310	4400	2300	80	5967 €	972 €	6939 €
2460	2100	2300	80	4943 €	972 €	5915 €
2460	3250	2300	80	6673 €	972 €	7645 €
2460	4400	2300	80	8402 €	972 €	9374 €
3500	5550	2300	80	12711 €	972 €	13683 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	80	3560 €	972 €	4532 €
1310	3250	2500	80	4944 €	972 €	5915 €
1310	4400	2500	80	6327 €	972 €	7299 €
2460	2100	2500	80	5231 €	972 €	6203 €
2460	3250	2500	80	7033 €	972 €	8005 €
2460	4400	2500	80	8835 €	972 €	9807 €
3500	5550	2500	80	13283 €	972 €	14255 €

MODULAR COLDROOM WITH FLOOR

Facing of the cold room: acid-proof stainless steel sheet type 1.4301, thickness of 0,8mm, standard surface 2B;
Thickness of cold room walls: 80mm, produced on the press, by high pressure injection of PUR foam into door framework;
Joints: quick-installation Camlock system.

DRK-N-60 - Premium hinged stainless doors for cold rooms.
Door leaf: thickness of 60mm made of folded steel sheet folded;
Door finish: acid-proof stainless steel sheet thickness of 0,8mm, with mat surface 2B or polished 4N (OPTIONAL);
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Lower element: channel section made of acid-proof stainless steel sheet type 1.4301;
Frame: complex and profiled - made of acid-proof stainless steel sheet, type 1.4301 with mat surface 2B or polished 4N (OPTIONAL).

OPTIONAL:
- Cold room with custom dimensions;
- Cold room made of acid-proof stainless polished or grained steel sheets;
- Cold room with window;
- Hinged or sliding doors for cold rooms with custom dimensions.
- Cold room floor made of riffled acid-proof stainless steel sheet, thickness of 3mm;
- Cold room floor made of riffled aluminum sheet, thickness of 3mm.

PRICELIST OF STANDARD MODULAR FREEZER ROOMS SYSTEMS with hinged doors type DRK-L/N 100, 800x2000mm:

MODULAR FREEZER ROOM WITH FLOOR Facing – RAL 9010 white steel sheet						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2300	100	3110 €	962 €	4073 €
1310	3250	2300	100	4330 €	962 €	5292 €
1310	4400	2300	100	5549 €	962 €	6511 €
2460	2100	2300	100	4597 €	962 €	5560 €
2460	3250	2300	100	6205 €	962 €	7168 €
2460	4400	2300	100	7814 €	962 €	8776 €
3500	5550	2300	100	11822 €	962 €	12784 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	100	3311 €	962 €	4273 €
1310	3250	2500	100	4597 €	962 €	5560 €
1310	4400	2500	100	5884 €	962 €	6847 €
2460	2100	2500	100	4865 €	962 €	5827 €
2460	3250	2500	100	6540 €	962 €	7503 €
2460	4400	2500	100	8216 €	962 €	9179 €
3500	5550	2500	100	12353 €	962 €	13315 €

MODULAR FREEZER ROOM WITH FLOOR

Facing of the freezer room: steel sheet, thickness 0,75mm, coated with polyester paint, standard white colour (RAL 9010);
Thickness of freezer room walls: 100mm, produced on the press, by high pressure injection of PUR foam into door framework;
Joints: quick-installation Camlock system.

DRK-L-100 - Premium hinged painted doors for freezer rooms.
Door leaf: thickness of 100mm made of folded steel sheet folded;
Door finish: steel sheet thickness of 0,75mm, galvanized on both sides, coated with polyester paint in standard white colour RAL 9010;
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Frame: complex and profiled – made of steel sheet, thickness of 1,5mm, galvanized on both sides, coated with polyester paint in standard white colour RAL 9010.

OPTIONAL:
- Freezer rooms with custom dimensions;
- Freezer room in custom colours (other than RAL 9010);
- Freezer rooms with window;
- Hinged or sliding doors for freezer rooms with custom dimensions;
- Freezer room floor made of riffled acid-proof stainless steel sheet, thickness of 3mm;
- Freezer room floor made of riffled aluminum sheet, thickness of 3mm;
- Strip curtains made of PVC.

MODULAR FREEZER ROOM WITH FLOOR Facing – acid-proof stainless steel sheet type 1.4301, with mat surface 2B						
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2300	100	3849 €	1211 €	5060 €
1310	3250	2300	100	5358 €	1211 €	6569 €
1310	4400	2300	100	6867 €	1211 €	8078 €
2460	2100	2300	100	5689 €	1211 €	6899 €
2460	3250	2300	100	7679 €	1211 €	8889 €
2460	4400	2300	100	9669 €	1211 €	10879 €
3500	5550	2300	100	14628 €	1211 €	15838 €
width (mm)	**length (mm)**	**height (H) (mm)**	**thickness of the walls (mm)**	**price of the cold room**	**price of the doors**	**total net price (EURO)**
1310	2100	2500	100	4097 €	1211 €	5308 €
1310	3250	2500	100	5689 €	1211 €	6900 €
1310	4400	2500	100	7281 €	1211 €	8492 €
2460	2100	2500	100	6020 €	1211 €	7230 €
2460	3250	2500	100	8093 €	1211 €	9304 €
2460	4400	2500	100	10167 €	1211 €	11378 €
3500	5550	2500	100	15285 €	1211 €	16496 €

MODULAR FREEZER ROOM WITH FLOOR

Facing of the freezer room: acid-proof stainless steel sheet type 1.4301, thickness of 0,8mm, standard surface 2B;
Thickness of freezer room walls: 100mm, produced on the press, by high pressure injection of PUR foam into door framework;
Joints: quick-installation Camlock system.

DRK-N-100 - Premium hinged stainless doors for cold rooms.
Door leaf: thickness of 100mm made of folded steel sheet;
Door finish: acid-proof stainless steel sheet thickness of 0,8mm, with mat surface 2B or polished 4N (OPTIONAL);
Door leaf core: polyurethane foam, minimal density of 40 kg/m^3;
Lock: delivered by FERMOD;
Hinges: delivered by FERMOD;
Frame: complex and profiled – made of acid-proof stainless steel sheet, type 1.4301 with mat surface 2B or polished 4N (OPTIONAL).

OPTIONAL:
- Freezer rooms with custom dimensions;
- Freezer room made of acid-proof stainless polished or grained steel sheets;
- Freezer rooms with window;
- Hinged or sliding doors for freezer rooms with custom dimensions.
- Freezer room floor made of riffled acid-proof stainless steel sheet, thickness of 3mm;
- Freezer room floor made of riffled aluminum sheet, thickness of 3mm.
- Strip curtains made of PVC.

www.paneltech.eu









PANELTECH®
MODERN BUILDING